

# High Precision



Transfer Liquid  
at High Pressure



# Chemical Injection



The Heart of Industry

**IWAKI is a world wide leading pump manufacturer.  
Our high-end and compact products are widely used  
in medical, laboratory and environmental conservation fields.**

Reciprocating diaphragm liquid pumps

## HSR

HSR series for build in equipment.  
Improved volume efficiency by using  
a unique method (Compared with our products)

Specifications

Max. discharge capacity range	1400 mL/min (Reference)
Max. discharge pressure	0.6 MPa
Main materials	GFRPP
Power voltage	DC24V

- Capable of transferring liquid at high pressure.
- Relatively less flow fluctuation even if pressure fluctuates.
- Compact and lightweight design for easy layout in equipment.



Magnetic drive pumps

## MD

A worldwide best-seller, our high-quality compact magnetic drive pumps. Making it suitable for incorporation into devices and equipment.



Direct drive pumps

## NRD

High performance canned pumps for a wide variety of uses. Compact and Lightweight with a Seal-Less Structure.



Specifications (50/60Hz)

Max. discharge capacity range	135 L/min
Max. head range	14.3/20.3 m
Main materials	GFRPP
Power voltage	AC100V, 220–240V Single phase, AC220, 380, 400, 440V Three phase

Specifications

Max. discharge capacity range	140 L/min
Max. head range	26 m
Main materials	GFRPPE, GFRPP, GFRPPS
Power voltage	DC24, 48V

## Applications

Medical equipment	Artificial dialysis, Endoscope cleaning, Biochemical analyzer, Immunoassay, Affected area cleaning, Blood screening, Urine test, Nebulizer, Massaging tools
Laboratory equipment	Electrochemistry, Photo analysis, Electromagnetic analysis, Separation analysis, Heat analysis, Chromatography, Leak tester
Environmental conservation	Air pollution investigation, Water pollution investigation, Ground pollution investigation

## Diaphragm type air pumps

## APN

Clean air transfer without the use of oil. Ideal for medical, sampling, and other applications in which clean air needs.



## Specifications (50/60Hz)

Max. discharge capacity range (L/min)	100/110 (AC power), 14 (DC power)
Max. discharge pressure (MPa)	0.2 (AC power), 0.1 (DC power)
Main materials	GFRPP, ADC12
Power voltage	AC100V Single phase, DC12, 24V



## Gas-liquid transfer pumps

## APN-W

Gas-liquid transfer capability. A compact and lightweight design is used that is perfect fit for built-in applications and for waste recovery.



## Specifications (50/60Hz)

Max. discharge capacity range (L/min)	5/6 (AC power), 4 (DC power)
Max. discharge pressure (MPa)	0.05 (AC power), 0.08 (DC power)
Main materials	GFRPP
Power voltage	AC100V Single phase, DC12, 24V



## Magnetic drive gear pumps

## MDG

MDG pumps are in varied applications including some of the medical equipment. Free from leakage problem and the need for seal replacement.



## Specifications (50/60Hz)

Max. discharge capacity range (L/min)	14/17 (AC power), 1.8 (DC power)
Max. discharge pressure (MPa)	0.6 (AC power), 0.3 (DC power)
Main materials	SUS316, PPS, CFRPEEK
Power voltage	AC115V, 220–240V, DC24V



## Direct drive pumps

## RD

A compact centrifugal pump with canned motor. Compact and Lightweight with a Seal-Less Structure.



## Specifications

Max. discharge capacity range (L/min)	70 L/min
Max. head range	15 m
Main materials	GFRPPS
Power voltage	DC24V



## Hi-Cera pumps

## V-07

Highly accurate discharge rate control is possible. Ideal for immunoassay analyzers and dialysis machines.



## Specifications

Volume/shot	0.1, 0.2, 0.3 mL
Flow range	0.5–90 mL/min
Main materials	Al <sub>2</sub> O <sub>3</sub> , PTFE, PVDF, ECTFE
Power voltage	DC24V



IWAKI has global net work. Please find your distributor location at <a href="http://www.iwakipumps.jp">www.iwakipumps.jp</a>									
European Headquarter	IWAKI Europe GmbH	TEL: (49)2154 9254 0	FAX: (49)2154 9254 48	U.S.A.	IWAKI America Inc.	TEL: (1)508 429 1440	FAX: (1)508 429 1386		
Germany	IWAKI Europe GmbH	TEL: (49)2154 9254 50	FAX: (49)2154 9254 55	Brazil	IWAKI Do Brasil Comercio De Bombas Hidraulicas LTDA.	TEL: (55)19 3244 5900	FAX: (55)19 3244 5900		
The Netherlands (Netherlands Branch)	IWAKI Europe GmbH	TEL: (31)74 2420011	FAX: (49)2154 9254 48	China (Shanghai)	IWAKI Pumps (Shanghai) Co., Ltd.	TEL: (86)21 6272 7502	FAX: (86)21 6272 6929		
Italy (Italy Branch)	IWAKI Europe GmbH	TEL: (39)0445 561219	FAX: (39)0445 569088	China (Hong Kong)	IWAKI Pumps Co., Ltd.	TEL: (852)2607 1168	FAX: (852)2607 1000		
Spain (Spain Branch)	IWAKI Europe GmbH	TEL: (34)934 741 638	FAX: (34)934 741 638	China (Guangzhou)	GFTZ IWAKI Engineering & Trading Co., Ltd.	TEL: (86)20 84350603	FAX: (86)20 84359181		
Poland (East Europe Branch)	IWAKI Europe GmbH	TEL: (48)12 347 0755	FAX: (48)12 347 0900	China (Shenzhen)	IWAKI Pumps (Shenzhen) Co., Ltd.	TEL: (86)0755 8656 3696			
Denmark	IWAKI Nordic A/S	TEL: (45)48 242345		Singapore	IWAKI Singapore Pte Ltd.	TEL: (65)6316 2028	FAX: (65)6316 3221		
Finland	IWAKI Suomi Oy	TEL: (358)10 201 0490		Indonesia (Indonesia Office)	IWAKI Singapore Pte Ltd.	TEL: (62)21 6906606	FAX: (62) 21 6906612		
Norway	IWAKI Norge AS	TEL: (47)23 38 49 00		Malaysia	IWAKI SDN. BHD.	TEL: (60)3 7803 8807	FAX: (60)3 7803 4800		
Sweden	IWAKI Sverige AB	TEL: (46)8 511 72900		Korea	IWAKI Korea Co.,Ltd.	TEL: (82)2 6238 4800	FAX: (82)2 6238 4801		
Belgium	IWAKI Belgium N.V.	TEL: (32)13 670200	FAX: (32)13 672030	Taiwan	IWAKI Pumps Taiwan Co., Ltd.	TEL: (886)2 8227 6900	FAX: (886)2 8227 6818		
France	IWAKI France S.A.	TEL: (33)1 69 63 33 70	FAX: (33)1 64 49 92 73	Thailand	IWAKI (Thailand) Co.,Ltd.	TEL: (66)2 322 2471	FAX: (66)2 322 2477		
				Australia	IWAKI Pumps Australia Pty Ltd.	TEL: (61)2 9899 2411	FAX: (61)2 9899 2421		

**Caution for safety use:**  
Before use of pump, read instruction manual carefully to use the product correctly. Actual pumps may differ from the photos. Specifications and dimensions are subject to change without prior notice. For further details please contact us.

**Legal attention related to export.**  
Our products and/or parts of products fall in the category of goods contained in control list of international regime for export control. Please be reminded that export license could be required when products are exported due to export control regulations of countries.

The posting and copying from this catalogue without permission is not accepted firmly.